FAIRFIELD TOWNSHIP RESOLUTION NO. 19-28

RESOLUTION APPROVING THE PURCHASE OF A SERVICE DEPARTMENT SNOW PLOW TRUCK FROM FYDA FREIGHTLINER CINCINNATI, AT A COST OF \$155,166.00.

WHEREAS: The Service Department currently employees seven full-time employees; and

WHEREAS: The additional snow plow truck will be put in service to allow the oldest truck to be used as an emergency back-up, resulting in more safe and efficient service for Township residents;

NOW, THEREFORE, BE IT RESOLVED, by the Board of Trustees of Fairfield Township, Butler County, Ohio, as follows;

- SECTION 1: The Board hereby approves the purchase of a Service Department Snow Plow Truck, from FYDA Freightliner Cincinnati, at a cost of \$155,166.00, attached hereto as Exhibit "A". Pricing was a State Bid price and purchase to be paid from General Fund #1000.
- **SECTION 2:** The Board hereby dispenses with the requirement that this resolution be read on two separate days, pursuant to RC 504.10, and authorizes the adoption of this resolution upon its first reading.
- SECTION 3 This resolution is the subject of the general authority granted to the Board of Trustees through the Ohio Revised Code and not the specific authority granted to the Board of Trustees through the status as a Limited Home Rule Township.
- SECTION 4: That it is hereby found and determined that all formal actions of this Board concerning and relating to the passage of this Resolution were taken in meetings open to the public, in compliance with all legal requirements including §121.22 of the Ohio Revised Code.

SECTION 5: This resolution shall take effect at the earliest period allowed by law.

Adopted: February 13, 2019

Board of Trustees	Vote of Trustees
Susan Berding: Susan Berding	(les
Joe McAbee: Joe Male	Ves
Shannon Hartkemeyer: Danua Hartlufe	res
AUTHENTICATION	
This is to certify that this is a resolution which was duly passed, and filed v Fiscal Officer this 3 day of 100000000000000000000000000000000000	with the Fairfield Township 2019.
ATTEST:	UA
Shelly Schultz Fairfield Tox	wnship Fiscal Officer

APPROVED AS TO FORM:

Lawrence E. Barbiere, Township Law Director

OHIO DEPARTMENT OF TRANSPORTATION

CENTRAL OFFICE - 1980 WEST BROAD STREET - COLUMBUS, OH 43223
JOHN R. KASICH, GOVERNOR - JERRY WRAY, DIRECTOR

August 14, 2018

Fyda Freightliner Cincinnati, Inc 1 Freightliner Dr. Cincinnati, OH 45241

Re: 023-19

Single & Tandem Axle Cab and Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.

This Invitation permits multiple awarded vendors to provide Single & Tandem Axle Cab and Chassis. The contract will be in effect from August 14, 2018 to July 31, 2019.

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. There is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Jim Schurch is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 644-7870 or (800) 459-3778.

Respectfully,

Jerry Wray Director

Ohio Department of Transportation

JW:jas

c: file


Prepared by: Mike Bailey FYDA FREIGHTLINER CINCINNATI, INC. 11095 DIXIE HWY WALTON, KY 41094 Phone: 513-772-7171

A proposal for OH Fairfield Township - 3ALACYFE8KDKK3804

Prepared by FYDA FREIGHTLINER CINCINNATI, INC. Mike Bailey

Feb 08, 2019

Freightliner M2 106



Components shown may not reflect all spec'd options and are not to scale

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

SPECIFICATION PROPOSAL

Description

Price Level

M2 PRL-18M (EFF:04/17/18)

Data Version

SPECPRO21 DATA RELEASE VER 005

Vehicle Configuration

M2 106 CONVENTIONAL CHASSIS

2020 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

STRAIGHT TRUCK PROVISION

LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

CONSTRUCTION SERVICE

CONSTRUCTION BUSINESS SEGMENT

DIRT/SAND/ROCK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE

MEDIUM TRUCK WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 14600.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

23000.0 lbs

EXPECTED PUSHER AXLE(S) LOAD: 0.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 37600.0 lbs

EXPECTED GROSS COMBINATION WEIGHT: 0.0

lbs

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

Truck Service

FRONT PLOW/END DUMP BODY

EXPECTED TRUCK BODY LENGTH: 10.0 ft

HENDERSON

EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE

FRAME "XX" INCHES: 32.0 in

Engine

CUM L9 350 HP @ 2000 RPM, 2200 GOV RPM, 1000 LB/FT @ 1400 RPM

Electronic Parameters

75 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD

SPEED LIMIT

PTO MODE ENGINE RPM LIMIT - 1150 RPM

PTO RPM WITH CRUISE SET SWITCH - 1150

RPM

PTO RPM WITH CRUISE RESUME SWITCH - 1050

RPM

PTO MODE CANCEL VEHICLE SPEED - 0 MPH

PTO GOVERNOR RAMP RATE - 250 RPM PER

SECOND

PTO MINIMUM RPM - 700

REGEN INHIBIT SPEED THRESHOLD - 0 MPH

Engine Equipment

2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION

2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER

FORWARD CORNER OF DRIVER DOOR)

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL

ONE PIECE VALVE COVER

SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

(2) ALLIANCE MODEL 1231XOE, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA

THREADEDSTUD BATTERIES

BATTERY BOX FRAME MOUNTED

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

STANDARD BATTERY JUMPERS

SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB

WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER

CAB AUXILIARY POWER CABLE

POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER

CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE

STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR

AIR COMPRESSOR DISCHARGE LINE

ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM

CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH, ACTIVATES STOP LAMPS

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

6 GALLON DIESEL EXHAUST FLUID TANK

100 PERCENT DIESEL EXHAUST FLUID FILL

LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

STANDARD DIESEL EXHAUST FLUID TANK CAP

STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD

HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED

.....

CUMMINS SPIN ON FUEL FILTER

COMBINATION FULL FLOW/BYPASS OIL FILTER

FLEETGUARD PLAIN COOLANT FILTER

1100 SQUARE INCH ALUMINUM RADIATOR

ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT

GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT

CONSTANT TENSION HOSE CLAMPS FOR

COOLANT HOSES

RADIATOR DRAIN VALVE

NO RADIATOR/OIL PAN GUARD

PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER

CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR

ALUMINUM FLYWHEEL HOUSING

ELECTRIC GRID AIR INTAKE WARMER

DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 146 -AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE

NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED

DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES

MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 1100 RPM

MAXIMUM ENGINE SPEED FOR PTO OPERATION 3000 RPM

MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 900 RPM

MAXIMUM OUTPUT SPEED FOR PTO OPERATION 3000 RPM - ALLISON 5TH GEN TRANSMISSIONS

VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT END OF FRAME

ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED

CUSTOMER INSTALLED CHELSEA 277 SERIES PTO

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE

MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS FRONT BRAKE LINING

MERITOR STEELLITE X30 FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS

FRONT OIL SEALS

VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL

STANDARD SPINDLE NUTS FOR ALL AXLES

MERITOR AUTOMATIC FRONT SLACK

ADJUSTERS

TRW TAS-85 POWER STEERING

POWER STEERING PUMP

2 QUART SEE THROUGH POWER STEERING RESERVOIR

SYNTHETIC 75W-90 FRONT AXLE LUBE

Front Suspension

16,000# FLAT LEAF FRONT SUSPENSION

GRAPHITE BRONZE BUSHINGS WITH SEALS -

FRONT SUSPENSION

FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-23-161 23,000# R-SERIES SINGLE REAR AXLE

6.14 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES

DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE

(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE

BLINKING LAMP WITH EACH MODE SWITCH, DIF FERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH, DEACTIVATE >25 MPH

MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS REAR BRAKE LINING

BRAKE CAMS AND CHAMBERS ON FORWARD

SIDE OF DRIVE AXLE(S)

CONMET CAST IRON REAR BRAKE DRUMS

REAR BRAKE DUST SHIELDS

REAR OIL SEALS

WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS

MERITOR AUTOMATIC REAR SLACK

ADJUSTERS

SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD

SPRING SUSPENSION - NO AXLE SPACERS STANDARD AXLE SEATS IN AXLE CLAMP

GROUP

FORE/AFT CONTROL RODS

Brake System

AIR BRAKE PACKAGE

WABCO 4S/4M ABS

REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

STANDARD AIR SYSTEM PRESSURE

PROTECTION SYSTEM

STD U.S. FRONT BRAKE VALVE

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,

NO REAR PROPORTIONING VALVE

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

BW AD-9 BRAKE LINE AIR DRYER WITH HEATER

AIR DRYER MOUNTED INBOARD ON LH RAIL

ALUMINUM AIR BRAKE RESERVOIRS

CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD

BW DV-2 AUTO DRAIN VALVE WITH HEATER - WET TANK

QUICK DISCONNECT FITTING WITH TIRE INFLATION KIT

Trailer Connections

PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE

SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME

UPGRADED CHASSIS MULTIPLEXING UNIT

UPGRADED BULKHEAD MULTIPLEXING UNIT

Wheelbase & Frame

3825MM (151 INCH) WHEELBASE

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW

1650MM (65 INCH) REAR FRAME OVERHANG

FRAME OVERHANG RANGE: 61 INCH TO 70 INCH

CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 85.05 in

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 82.05 in

CALC'D FRAME LENGTH - OVERALL: 244.99

CALC'D SPACE AVAILABLE FOR DECKPLATE :

85.45 in

CALCULATED FRAME SPACE LH SIDE: 24.73 in

CALCULATED FRAME SPACE RH SIDE: 155.38

UNDER OR OVERSLUNG CROSSMEMBER

SQUARE END OF FRAME

EDONT OLOGINIC CROSSMEMBEE

FRONT CLOSING CROSSMEMBER

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE

CROSSMEMBER

STANDARD CROSSMEMBER BACK OF

TRANSMISSION

STANDARD MIDSHIP #1 CROSSMEMBER(S)

STANDARD REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

THREE-PIECE 14 INCH CHROMED STEEL

BUMPER WITH COLLAPSIBLE ENDS

FRONT TOW HOOKS - FRAME MOUNTED

SINGLE LICENSE PLATE BUMPER MOUNTING

ON LH SIDE

FENDER AND FRONT OF HOOD MOUNTED

FRONT MUDFLAPS

GRADE 8 THREADED HEX HEADED FRAME

FASTENERS

Fuel Tanks

50 GALLON/189 LITER SHORT RECTANGULAR

ALUMINUM FUEL TANK - LH

RECTANGULAR FUEL TANK(S)

PLAIN ALUMINUM/PAINTED STEEL

FUEL/HYDRAULIC TANK(S) WITH PAINTED

BANDS

FUEL TANK(S) FORWARD

POLISHED STAINLESS STEEL STEP FINISH

FUEL TANK CAP(S)

DETROIT FUELWATER SEPARATOR WITH

WATER IN FUEL SENSOR, HAND PRIMER AND

12 VOLT PREHEATER"

EQUIFLO INBOARD FUEL SYSTEM

NO NATURAL GAS VEHICLE FUEL TANK VENT

LINE/STACK

HIGH TEMPERATURE REINFORCED NYLON

FUEL LINE

Tires

MICHELIN X WORKS Z 315/80R22.5 20 PLY

RADIAL FRONT TIRES

MICHELIN X MULTI D 11R22.5 14 PLY RADIAL

REAR TIRES

Hubs

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

CONMET PRESET PLUS PREMIUM IRON FRONT HUBS

CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS

Wheels

ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB PILOT 5.99 INSET ALUMINUM FRONT WHEELS ALCOA ULTRA ONE ULTRAX 22.5X8.25 10-HUB

FRONT WHEEL MOUNTING NUTS REAR WHEEL MOUNTING NUTS

PILOT ALUMINUM DISC REAR WHEELS

Cab Exterior

106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

AIR CAB MOUNTING

2-1/2 INCH FENDER EXTENSIONS

LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT

STATIONARY MOLDED IN COLOR FULL GRILLE FOR CHASSIS WITHOUT INTEGRAL FRONT FRAME EXTENSIONS

CHROME HOOD MOUNTED AIR INTAKE GRILLE

FIBERGLASS HOOD

SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK

SINGLE ELECTRIC HORN

SINGLE HORN SHIELD

ALL UNITS KEYED THE SAME WITH (4) KEYS, KEY CODE TO BE FT1013

REAR LICENSE PLATE MOUNT END OF FRAME

INTEGRAL HEADLIGHT/MARKER ASSEMBLY

LED AERODYNAMIC MARKER LIGHTS

INTEGRAL STOP/TAIL/BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH

REMOTE

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS

STANDARD SIDE/REAR REFLECTORS

RH AFTERTREATMENT SYSTEM CAB ACCESS WITH POLISHED DIAMOND PLATE COVER

63X14 INCH TINTED REAR WINDOW

TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS

RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)

1-PIECE TINTED CURVED BONDED WINDSHIELD WITH HEATED WIPER BLADE PARK AREAS

2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED

Cab Interior

OPAL GRAY VINYL INTERIOR

MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR

MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR

BLACK MATS WITH SINGLE INSULATION

DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER

FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING

(2) CUP HOLDERS LH AND RH DASH

GRAY/CHARCOAL WING DASH

SMART SWITCH EXPANSION MODULE

2-1/2 LB. FIRE EXTINGUISHER

HEATER, DEFROSTER AND AIR CONDITIONER

STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD PLUMBING WITH BALL SHUTOFF VALVES AND INSULATED LINES

DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

BINARY CONTROL, R-134A

PREMIUM INSULATION

SOLID-STATE CIRCUIT PROTECTION AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM

DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF

LH AND RH ELECTRIC DOOR LOCKS

(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH

TRIANGULAR REFLECTORS WITHOUT FLARES

BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION

BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION

DUAL DRIVER AND PASSENGER SEAT ARMRESTS

LH AND RH INTEGRAL DOOR PANEL ARMRESTS

BLACK MORDURA CLOTH DRIVER SEAT COVER

BLACK MORDURA CLOTH PASSENGER SEAT COVER

HIGH VISIBILITY ORANGE SEAT BELTS

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

GRAY DRIVER INSTRUMENT PANEL

GRAY CENTER INSTRUMENT PANEL

BLACK GAUGE BEZELS

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS

97 DB BACKUP ALARM

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE

CHASSIS MODULE JUMPER AND BRACKET FOR BODY BUILDER TO RELOCATE THE CHASSIS MODULE INTO THE CAB

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS

ELECTRIC ENGINE OIL PRESSURE GAUGE

OVERHEAD INSTRUMENT PANEL

AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939

DASH MOUNTED RADIO

(2) RADIO SPEAKERS IN CAB

24 INCH AM/FM ANTENNA MOUNTED ON LH SIDE MIRROR, RG-62

POWER AND GROUND WIRING PROVISION OVERHEAD

ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER

STANDARD VEHICLE SPEED SENSOR

ELECTRONIC 3000 RPM TACHOMETER

IDLE LIMITER, ELECTRONIC ENGINE

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Description

TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT

PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH AND SINGLE CONNECTOR AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LIGHTS, LOW BEAMS OFF WITH HIGH BEAMS

ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE

INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EB WHITE ELITE BC BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

STANDARD E COAT/UNDERCOATING

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Secondary Factory Options

CORPORATE PDI CENTER OPTION INSTALLATION /MODIFICATION ONLY

Raw Performance Data

CALC'D FRAME LENGTH - OVERALL: 244.99
CALCULATED EFFECTIVE BACK OF CAB TO
REAR SUSPENSION C/L (CA): 82.05 in
CALC'D SPACE AVAILABLE FOR DECKPLATE:
85.45 in

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

Extended Warranty

TC4: MD MODERATE 5 YEARS/100,000 MILES / 161,000 KM EXTENDED TRUCK COVERAGE. FEX APPLIES
TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI, INC.
11095 DIXIE HWY
WALTON, KY 41094
Phone: 513-772-7171

QUOTATION

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK

CUM L9 350 HP @ 2000 RPM, 2200 GOV RPM, 1000 LB/FT @ 1400 RPM

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

RS-23-161 23,000# R-SERIES SINGLE REAR AXLE 30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE 16,000# FLAT LEAF FRONT SUSPENSION 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

3825MM (151 INCH) WHEELBASE 7/16X3-9/16X11-1/8 INCH STEEL FRAME

(11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1650MM (65 INCH) REAR FRAME OVERHANG BODY COMPANY INSTALLED ADDITIONAL FRONT

FRAME REINFORCEMENT FOR SNOW PLOW

		PER UNIT		TOTAL
VEHICLE PRICE TOTAL # OF UNITS (1)	\$	78,238	\$	78,238
EXTENDED WARRANTY	\$	1,995	\$	1,995
DEALER INSTALLED OPTIONS	\$	0	\$	0
CUSTOMER PRICE BEFORE TAX	\$	80,233	\$	80,233
TAXES AND FEES			W.Y.	
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$.	0	\$	0
TRADE-IN				
TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
BALANCE DUE (LOCAL CURRENCY)	\$	80,233	\$	80,233
COMMENTS:				
Projected delivery on/ provided the order is received before	=/			
APPROVAL:				
Please indicate your acceptance of this quotation by signing below:				
Customer: X Date:	/_			

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.



FYDA FREIGHTLINER COLUMBUS ATTN: JONAH SCHNEIDER

SINGLE AXLE STOCK TRUCK PACKAGE-STANDARD BODY

9/8/18

HENDERSON PRODUCTS-OH IS PLEASED TO PROVIDE YOU WITH THE FOLLOWING QUOTE

HENDERSON PRODUCTS IS A DIVISION OF HENDERSON MANUFACTURING AND THUS ALLOWS US THE ABILITY TO FOCUS ON A SPECIFIC PRODUCT LINE, HENDERSON. OUR OHIO FACILITY ONLY INSTALLS HENDERSON PRODUCTS AND THEREFORE WE ARE ABLE TO OFFER A SUPERIOR INSTALLATION AND SERVICE TO OUR CUSTOMERS.

SNOW PLOW HITCH

- HENDERSON PIN AND LOOP MODEL SNOW PLOW HITCH
- HENDERSON MODEL 2-1/2" DROP PIN QUICK HITCH
- HENDERSON FULL 5/8" STEEL SIDE PLATES MOUNTED FLUSH TO THE FRAME FOR MAXIMUM STRENGTH
- LIFT BEAM FOLDS FLAT WHEN NOT IN USE
- OEM BUMPERS CUT AND BOLTED ON
- 5 POSITION TELESCOPING LIFT ARM-BUILT IN LEVEL LIFT
- 4" DOUBLE ACTING NITRIDED LIFT CYLINDER
- PAINTED AND INSTALLED
- SNOW PLOW HITCH INSTALLED 100% TO YOUR SPECIFICATIONS-NO EXCEPTIONS

CENTRAL HYDRAULIC SYSTEM

- CERTIFIELD POWER-STORMGUARD/LOAD SENSING SYSTEM
- TRANSMISSION MOUNTED PTO-CONSTANT MESH
- DANFOSS JRR75 PUMP
- ALL ELECTRIC JOYSTICK CONTROL SYSTEM
- 6 BACKLIT LED ACCESSORY SWITCHES IN CONSOLE
- HENDERSON STEEL FLOOR PLATE
- CERTIFIED POWER FREEDOM 2.2 SPREADER CONTROL SYSTEM-GROUND SPEED CONTROLLED
- PRE WET VALVE PLUMBED IN VALVE STACK IF NEEDED
- CERTIFIED POWER 30-GALLON STAINLESS STEEL OIL RESERVOIR WITH VALVE MOUNT TANK TO ENCLOSE VALVE SECTION
- ALL WEATHERHEAD"RHINO-GUARD" HOSES AND FITTING WITH STAINLESS STEEL OUICK COUPLERS
- ALL PRESSURE HOSES SAE 100R2
- ALL FITTINGS JIC STYLE
- STAINLESS STEEL HYDRAULIC REAR LINES MOUNTED WITH POLY BUSHINGS
- STAINLESS STEEL HYDRAULIC FRONT LINES MOUNTED WITH POLY BUSHINGS
- HYDRUALIC SYSTEM TO BE FULLY TESTED AND PROPERLY CALIBRATED
- INSTALLED 100% TO YOUR SPECIFICATIONS-NO EXCEPTIONS

DUMP BODY

- HENDERSON MODEL MARK E 10' STAINLESS STEEL DUMP BODY
- CROSSMEMBERLESS FLOOR-UNIBODY DESIGN
- ENTIRE BODY IS CONTINOUSLY WELDED
- SLOPED LOWER DIRT SHEDDING RUB RAIL
- HORIZONTAL WELD ON SIDE BRACE
- 10' LONG
- 86" INSIDE WIDTH
- 30" SIDES
- 38" TAILGATE HEIGHT
- DOUBLE ACTING AIR RELEASE TAILGATE WITH GREASEABLE STAINLESS STEEL BUSHINGS
- GREASABLE TAILGATE LINKAGE
- (2) HORIZONTAL BRACES ON TAILGATE
- NO COAL DOOR IN CENTER OF TAILGATE
- ¼" AR400 STEEL FLOOR 200,000 PSI IMPACT RESISTANCE
- SLOPED BOX TOP RAIL 4"x5" SEAMLESS AND BOXED
- FULL DEPTH REAR CORNER POST 7 GAUGE STAINLESS STEEL
- 5" SIDE TO FLOOR RADIUS-FORMED NOT WELDED
- NO FRONT CORNER POSTS
- 22" X 86" FULLY WELDED STAINLESS STEEL CAB SHIELD WITH LIGHT HOUSINGS
- HENDERSON STAINLESS STEEL PULL OUT LADDER WITH 2 STEPS
- ALL LED FMVSS # 108 MARKER LIGHTS
- INSTALLED AND NOT PAINTED

HOIST

- HENDERSON MODEL CS FRONT TELESCOPIC MAILHOT HOIST
- 29 TON CAPACITY
- FULL DOUBLE ACTING (POWER UP AND ALL THE WAY DOWN)
- 4" INSIDE DIAMETER CYLINDER BASE TUBE
- ALL CYLINDER STAGES FULLY NITRIDED FOR CORROSION AND WEAR RESISTANCE
- HOIST IS PHOSPHATE RINSED, EPOXY PRIMED, AND FINISH PAINTED BLACK
- 12" DOGHOUSE IN-FRONT OF BODY
- 9" MOUNTING HEIGHT
- 6"x8"x1/2" STRUCTURAL ANGLE WITH 2" 303 STAINLESS STEEL PINS
- GREASEABLE REAR PINS
- INSTALLED
- BODY AND HOIST INSTALLED 100% TO YOUR SPECIFICATIONS-NO EXCEPTIONS

ELECTRICAL SYSTEM

- WHELEN LED SYSTEM
- HENDERSON OHIO STROBE PACKAGE
- TRUCK LITE HEATED LED PLOW LIGHTS WITH STAINLESS STEEL BRACKETS
- (6) AMBER LED STROBES IN FRONT, SIDES, AND REAR, OF CABSHIELD IN 10 GUAGE STAINLESS STEEL HOUSINGS

- (2) AMBER LED STROBES MOUNTED IN REAR POSTS
- (2) LED BACK UP LIGHTS MOUNTED IN REAR POSTS
- (2) LED STOP/TAIL/TURN LIGHTS MOUNTED IN REAR POSTS
- 4" LED SPINNER LIGHT
- BODY UP LIGHT WITH PROXIMITY SWITCH
- WHELEN BACK UP ALARM
- ALL ONE PIECE WIRING FROM POWER SOURCE TO ELECTRICAL ITEM
- ALL WIRING WILL BE PROPERLY RUN TO AVOID SHARP EDGES AND PINCH POINTS
- ALL WIRING WILL BE PROPERLY FUSED WITH NO BUTT JOINTS OR SPLICES
- FACTORY REAR CHASSIS LIGHTS TO BE REINSTALLED
- HENDERSON PDP POWER DISTRIBUTION PANEL
- ALL LED FMVSS # 108 MARKER LIGHTS
- ALL ONE PIECE WIRING WITH COPY OF WIRING SCHEMATIC

SPREADER

- HENDERSON MODEL TGS STAINLESS STEEL SPREADER
- 6" AUGER WITH 5:1 GEARCASE DRIVE
- EASY EMPTY CLEAN OUT PAN
- STAINLESS STEEL TAILGATE FINS
- 18" POLY SPINNER DISK
- ALL STAINLESS STEEL MOUNTING HARDWARE

PINTLE PLATE

- 3/4" HEAVY DUTY PINTLE PLATE GUSSETED AND REINFORCED
- 20 TON PINTLE HOOK WITH 8 HOLE ADJUSTMENT
- (2) HEAVY DUTY D-RINGS
- 7 WAY RV TRAILER PLUG

MISCELLANEOUS

- CHROME EXHAUST ELBOW
- WOOD SIDE BOARDS PAINTED BLACK
- STAINLESS STEEL SHOVEL HOLDER ON DRIVERS SIDE
- FLEET ENGINEERING POLY FENDERS WITH STAINLESS STEEL BRACKETS
- HENDERSON QUICK RELEASE FULL REAR MUD FLAPS
- RED & WHITE REFLECTIVE TAPE BOTH SIDES AND TAILGATE
- CHASSIS AND UNDERSIDE OF BODY WILL BE UNDERCOATED

TOTAL PACKAGE PRICE \$56,866.00

INSTALLATION AND WARRANTY

- 2 FULL YEAR WARRANTY ON ALL EQUIPMENT
- ALL MOUNTING TO BE 100% TO YOUR SPECIFICATIONS-NO EXCEPTIONS
- PRE-BUILD MEETING AT OUR FACILITY REQUIRED PRIOR TO START OF BUILD
- HENDERSON TRUCK EQUIPMENT WILL HANDLE ALL TRANSPORTATION AND REPAIRS TO VEHICLE FOR WARRANTY AND SERVICE WORK IN A TIMELY MANNER
- ALL EQUIPMENT WILL BE INSTALLED BY A SINGLE BODY COMPANY BY OUR EMPLOYEES AT OUR FACILITY.
- ALL EQUIPMENT IS ENGINEERED BY A SINGLE MANUFACTURER, HENDERSON PRODUCTS INC.
- INSTALLATION OF COMPONENTS WILL NOT BE SUBCONTRACTED BY THE BODY COMPANY TO OTHERS
- NO WELDING TO BE DONE ON CHASSIS FRAME BETWEEN FRONT OF MOST FORWARD SPRING HANGER AND REAR OF REARMOST SPRING HANGER.
- COPY OF CENTRAL HYDRAULIC SYSTEM SCHEMATIC WILL BE FURNISED UPON COMPLETION
- COPY OF WIRING SCHEMATIC WILL BE FURNISHED UPON COMPLETION
- PARTS AND SERVICE MANUALS FOR ALL COMPONENTS WILL BE FURNISHED UPON COMPLETION
- VEHICLE TO BE CERTIFIED TO MEET ALL FEDERAL MOTOR VEHICLE SAFETY STANDARDS
- HENDERSON TO CONDUCT OPERATOR TRAINING SESSION AT YOUR FACILITY AFTER DELIVERY OF COMPLETED TRUCK
- SNOW AND ICE CONTROL REFERENCES AVAILABLE UPON REQUEST

HENDERSON PRODUCTS-OHIO PAUL SACKETT-OHIO SALES REP

937-710-3362 CELL PSACKETT@HENDERSONPRODUCTS.COM

STOCK TRUCKS WILL BE BILLED UPON COMPLETION NET 150. BY SIGNING THE QUOTE YOU AGREE TO THESE TERMS.

CONTRACT ACCEPTANCE:	DATE:
	DUDGUAGE ODDED #.
TITLE:	PURCHASE ORDER #:











HENDERSON PRODUCTS – OH NJPA CONTRACT HOLDER/CONTRACT #080114-HPI



FAIRFIELD TOWNSHIP ATTN: JEFF BENNETT

HENDERSON PRE WET SYSTEM AND MISC. ITEMS

1/28/19

HENDERSON PRODUCTS-OH IS PLEASED TO PROVIDE YOU WITH THE FOLLOWING QUOTE

HENDERSON PRODUCTS IS A DIVISION OF HENDERSON MANUFACTURING AND THUS ALLOWS US
THE ABILITY TO FOCUS ON A SPECIFIC PRODUCT LINE, HENDERSON. OUR OHIO FACILITY ONLY
INSTALLS HENDERSON PRODUCTS AND THEREFORE WE ARE ABLE TO OFFER A SUPERIOR
INSTALLATION AND SERVICE TO OUR CUSTOMERS.

PRE WET SYSTEM

- HENDERSON 75 GALLON FRAME MOUNTED PRE WET TANK
- CERTIFIED POWER HYDRAULIC PRE WET PUMP
- CLOSED LOOP SYSTEM WITH FEEDBACK CABLE
- USING EXISTING PRE WET VALVE
- SLURRY TUBE INSTALLED IN TAILGATE SPREADER
- INCLUDES PICK UP AND DELIVERY OF COMPLETED UNIT

\$5,804.00

VIBCO DUMP BODY VIBRATOR INSTALLED

\$1,100.00

ONSPOT AUTOMATIC TIRE CHAINS INSTALLED

\$2,200.00

INSTALLATION AND WARRANTY

- 1 YEAR WARRANTY ON ALL EQUIPMENT
- ALL MOUNTING TO BE 100% TO YOUR SPECIFICATIONS-NO EXCEPTIONS
- PRE-BUILD MEETING AT OUR FACILITY REQUIRED PRIOR TO START OF BUILD
- HENDERSON TRUCK EQUIPMENT WILL HANDLE ALL TRANSPORTATION AND REPAIRS TO VEHICLE FOR WARRANTY AND SERVICE WORK IN A TIMELY MANNER
- ALL EQUIPMENT WILL BE INSTALLED BY A SINGLE BODY COMPANY BY OUR EMPLOYEES AT OUR FACILITY.
- ALL EQUIPMENT IS ENGINEERED BY A SINGLE MANUFACTURER, HENDERSON PRODUCTS INC.
- INSTALLATION OF COMPONENTS WILL NOT BE SUBCONTRACTED BY THE BODY COMPANY TO OTHERS
- NO WELDING TO BE DONE ON CHASSIS FRAME BETWEEN FRONT OF MOST FORWARD SPRING HANGER AND REAR OF REARMOST SPRING HANGER.
- COPY OF CENTRAL HYDRAULIC SYSTEM SCHEMATIC WILL BE FURNISED UPON COMPLETION
- COPY OF WIRING SCHEMATIC WILL BE FURNISHED UPON COMPLETION
- PARTS AND SERVICE MANUALS FOR ALL COMPONENTS WILL BE FURNISHED UPON COMPLETION
- VEHICLE TO BE CERTIFIED TO MEET ALL FEDERAL MOTOR VEHICLE SAFETY STANDARDS
- HENDERSON TO CONDUCT OPERATOR TRAINING SESSION AT YOUR FACILITY AFTER DELIVERY OF COMPLETED TRUCK
- SNOW AND ICE CONTROL REFERENCES AVAILABLE UPON REQUEST

HENDERSON PRODUC'	TS-OHI	O
PAUL SACKETT-OHIO	SALES	REP

937-710-3362 CELL PSACKETT@HENDERSONPRODUCTS.COM

CONTRACT ACCEPTANCE:		DATE:	
TITLE:		PURCHASE ORDER #:	











HENDERSON PRODUCTS – OH SOURCEWELL CONTRACT HOLDER/CONTRACT #080818-HPI

INSTALLATION AND WARRANTY

- 1 YEAR WARRANTY ON ALL EQUIPMENT
- ALL MOUNTING TO BE 100% TO YOUR SPECIFICATIONS-NO EXCEPTIONS
- PRE-BUILD MEETING AT OUR FACILITY REQUIRED PRIOR TO START OF BUILD
- HENDERSON TRUCK EQUIPMENT WILL HANDLE ALL TRANSPORTATION AND REPAIRS TO VEHICLE FOR WARRANTY AND SERVICE WORK IN A TIMELY MANNER
- ALL EQUIPMENT WILL BE INSTALLED BY A SINGLE BODY COMPANY BY OUR EMPLOYEES AT OUR FACILITY.
- ALL EQUIPMENT IS ENGINEERED BY A SINGLE MANUFACTURER, HENDERSON PRODUCTS INC.
- INSTALLATION OF COMPONENTS WILL NOT BE SUBCONTRACTED BY THE BODY COMPANY TO OTHERS
- NO WELDING TO BE DONE ON CHASSIS FRAME BETWEEN FRONT OF MOST FORWARD SPRING HANGER AND REAR OF REARMOST SPRING HANGER.
- COPY OF CENTRAL HYDRAULIC SYSTEM SCHEMATIC WILL BE FURNISED UPON COMPLETION
- COPY OF WIRING SCHEMATIC WILL BE FURNISHED UPON COMPLETION
- PARTS AND SERVICE MANUALS FOR ALL COMPONENTS WILL BE FURNISHED UPON COMPLETION
- VEHICLE TO BE CERTIFIED TO MEET ALL FEDERAL MOTOR VEHICLE SAFETY STANDARDS
- HENDERSON TO CONDUCT OPERATOR TRAINING SESSION AT YOUR FACILITY AFTER DELIVERY OF COMPLETED TRUCK
- SNOW AND ICE CONTROL REFERENCES AVAILABLE UPON REQUEST

HEND	ERSON P	PRODUC	TS-OHI	O
PAUL	SACKET	T-OHIO	SALES	REP

937-710-3362 CELL PSACKETT@HENDERSONPRODUCTS.COM

CONTRACT ACCEPTANCE:	DATE:		
TITLE:	PURCHASE ORDER #:		











HENDERSON PRODUCTS – OH SOURCEWELL CONTRACT HOLDER/CONTRACT #080818-HPI



FAIRFIELD TOWNSHIP ATTN: JEFF BENNETT

HENDERSON PLOW QUOTE

1/22/19

HENDERSON PRODUCTS-OH IS PLEASED TO PROVIDE YOU WITH THE FOLLOWING QUOTE

HENDERSON PRODUCTS IS A DIVISION OF HENDERSON MANUFACTURING AND THUS ALLOWS US
THE ABILITY TO FOCUS ON A SPECIFIC PRODUCT LINE, HENDERSON. OUR OHIO FACILITY ONLY
INSTALLS HENDERSON PRODUCTS AND THEREFORE WE ARE ABLE TO OFFER A SUPERIOR
INSTALLATION AND SERVICE TO OUR CUSTOMERS.

SNOW PLOW

- HENDERSON MODEL RSP 10'x 42" REVERSABLE SNOW PLOW
- FULL TRIP MOLDBOARD WITH ADJUSTABLE MOLDBOARD ATTACK ANGLE
- ENTIRE PLOW IS CONTINUOUSLY WELDED
- 8 FULL LENGTH VERTICAL RIBS CONTINUOUSLY WELDED
- INTEGRAL SHIELD MOLDBOARD FOR REDUCED BLOW BACK
- 4"x4"x3/8" STEEL TUBE PUSH FRAME FOR ADDED STRENGTH
- 4"x4"x3/4" FULLY GUSSETED BOTTOM ANGLE
- 4"x2"x10" NITRIDED DOUBLE ACTING REVERSING CYLINDERS WITH COMPRESSION RELIEF VALVE
- RUBBER SNOW DEFLECTOR WITH STAINLESS BACKER BAR AND PLOW MARKERS
- 5/8"X8"X10' STANDARD HIGHWAY PUNCH CUTTING EDGE
- MOLDBOARD AND PUSH FRAME POWDERCOATED BLACK
- PARKING JACK
- PIN AND LOOP HITCH RING WITH OSCILLATOR BAR ALLOWING PLOW TO CONFORM TO THE ROAD
- BUILT IN LEVEL-LIFT WITH NO MOVING PARTS
- INSTALLED
- PLOW IS IN STOCK AND AVAILABLE FOR IMMEDIATE DELIVERY

\$8,963.00