FAIRFIELD TOWNSHIP RESOLUTION NO. 22-23

RESOLUTION TO AUTHORIZE PURCHASE OF A SNOWPLOW FROM FYDA FREIGHTLINER CINCINNATI AND WA JONES AT A TOTAL COST OF \$173,042.00.

WHEREAS: The Public Works Department currently employs seven full time employees; and

WHEREAS: An additional plow truck will allow all seven employees to run plow routes during weather events, resulting in more efficient service for Township residents; and

WHEREAS: It is believed that the addition to the fleet will improve the quality of life and welfare for employees and residents alike; and

WHEREAS: State Bid pricing has been received;

NOW, THEREFORE, BE IT RESOLVED, by the Trustees of Fairfield Township, Butler County, Ohio, as follows;

- SECTION 1: The Board of Trustees, hereby, approves the purchase of a snowplow from Fyda Freightliner Cincinnati and WA Jones, at a total cost of \$173,042.00 for the Public Works Department, attached hereto as Exhibits "A". Purchase to be paid from Funds #2904, StoryPoint TIF & 2908, Seward Road TIF.
- **SECTION 2:** The Trustees of Fairfield Township do hereby dispense with the requirement that this resolution be read on two separate days, pursuant to RC 504.10, and do authorize the adoption of this resolution upon its first reading.
- **SECTION 3:** This resolution is the subject of the general authority granted to the Board of Trustees through the Ohio Revised Code and not the specific authority granted to the Board of Trustees through the status as a Limited Home Rule Township.
- **SECTION 4:** That it is hereby found and determined that all formal actions of this Board concerning and relating to the passage of this Resolution were taken in meetings open to the public, in compliance with all legal requirements including §121.22 of the Ohio Revised Code.

SECTION 5: This resolution shall take effect at the earliest period allowed by law.

Eff. 4:--- 1---- 11 2022

Effective: January 11, 2022	
Board of Trustees	Vote of Trustees
Shannon Hartkemeyer: Mully Company	425
Michael Berding:	1125
Joe McAbee: Carl Mark	Ves
AUTHENTICATION	
This is to certify that this is a resolution which was duly passed, and filed	with the Fairfield Township
Fiscal Officer, this day of	

ATTEST:

Shelly Schultz, Fairfield Township Fiscal Officer

APPROVED AS TO FORM:

Lawrence E. Barbiere, Township Law Director

OHIO DEPARTMENT OF TRANSPORTATION

CENTRAL OFFICE - 1980 WEST BROAD STREET - COLUMBUS, OH 43223 MIKE DEWINE, GOVERNOR - JACK MARCHBANKS, Ph.D., DIRECTOR

September 23, 2021

Fyda Freightliner Cincinnati, Inc. 1 Freightliner Dr. Cincinnati, OH 45241

Re: 023-22

Single & Tandem Axle Cab and Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.

This Invitation permits multiple awarded vendors to provide Single & Tandem Axle Cab and Chassis. The contract will be in effect from October 1, 2021 to September 30, 2022.

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. There is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Todd VanKirk is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 466-3209.

Respectfully.

Jack Marchbanks, Ph.D.

Marshaliff3

Director

Ohio Department of Transportation



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

A proposal for STOCK with WA JONES UP FIT FYDA FREIGHTLINER CINCINNATI OH

Prepared by **FYDA FREIGHTLINER CINCINNATI**Mike Bailey

May 19, 2021

Freightliner M2 106



Components shown may not reflect all spec'd options and are not to scale


Application Version 11.6.205 Data Version PRL-24M.015 2022MY Stock Muni Dump-M2-L9-WA Jones



05/19/2021 2:04 PM

Page 1 of 20

151, 112.00 + 21, 930.00



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

SPECIFICATION PROPOSAL

Description

Price Level

M2 PRL-24M (EFF:01/19/21)

Data Version

SPECPRO21 DATA RELEASE VER 015

Vehicle Configuration

M2 106 CONVENTIONAL CHASSIS

2022 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

TRAILER TOWING PROVISION AT END OF

FRAME FOR TRUCK

LH PRIMARY STEERING LOCATION

General Service

TRUCK/TRAILER CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

CONSTRUCTION SERVICE

CONSTRUCTION BUSINESS SEGMENT

DIRT/SAND/ROCK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES)

ROAD SURFACE

MEDIUM TRUCK WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 14700.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

21000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 35700.0 lbs

EXPECTED GROSS COMBINATION WEIGHT:

80000.0 lbs

Application Version 11.6.205
Data Version PRL-24M.015
2022MY Stock Muni Dump-M2-L9-WA
Jones

×	A Marian and have been successful and which have been some
farrid	

05/19/2021 2:04 PM

Page 2 of 20



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

Truck Service

FRONT PLOW/END DUMP BODY

EXPECTED TRUCK BODY LENGTH: 10.0 ft

HENDERSON

EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE

FRAME "XX" INCHES: 32.0 in

Engine

CUM L9 360 HP @ 2200 RPM; 2200 GOV RPM, 1150 LB-FT @ 1200 RPM

Electronic Parameters

72 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD

SPEED LIMIT

PTO MODE ENGINE RPM LIMIT - 1150 RPM

PTO RPM WITH CRUISE SET SWITCH - 1150

RPM

PTO RPM WITH CRUISE RESUME SWITCH - 1050

RPM

PTO MODE CANCEL VEHICLE SPEED - 0 MPH

PTO GOVERNOR RAMP RATE - 250 RPM PER

SECOND

PTO MINIMUM RPM - 700

REGEN INHIBIT SPEED THRESHOLD - 0 MPH

Engine Equipment

CUMMINS CM2450 WITH ON ENGINE ACUMEN

2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION

2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER

FORWARD CORNER OF DRIVER DOOR)

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL

SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER

DR 12V 160 AMP 36-SI BRUSHLESS

QUADRAMOUNT PAD ALTERNATOR WITH

REMOTE BATTERY VOLT SENSE

(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED

STANDARD BATTERY JUMPERS

1		Partial ray come in terminal Partie has been been sented an entered as fined such the facts partie to be seried as of	
	^		

05/19/2021 2:04 PM

Page 3 of 20



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB

WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER

CAB AUXILIARY POWER CABLE

POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER

CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE

STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR

AIR COMPRESSOR DISCHARGE LINE

ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM

CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF WITH BRAKE LAMPS

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

6 GALLON DIESEL EXHAUST FLUID TANK

100 PERCENT DIESEL EXHAUST FLUID FILL

LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

STANDARD DIESEL EXHAUST FLUID TANK CAP

STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD

BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH

AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED

J*



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

CUMMINS SPIN ON FUEL FILTER

COMBINATION FULL FLOW/BYPASS OIL FILTER

FLEETGUARD PLAIN COOLANT FILTER

1100 SQUARE INCH ALUMINUM RADIATOR

ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT

GATES BLUE STRIPE COOLANT HOSES OR

EQUIVALENT
CONSTANT TENSION HOSE CLAMPS FOR

COOLANT HOSES
RADIATOR DRAIN VALVE

NO RADIATOR/OIL PAN GUARD

PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK

HEATER

CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR

ALUMINUM FLYWHEEL HOUSING

ELECTRIC GRID AIR INTAKE WARMER

DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 146 -AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY


S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

Application Version 11.6.205 Data Version PRL-24M.015 2022MY Stock Muni Dump-M2-L9-WA Jones

y come he degrade. No his two two per record covered a standard Pet He to passe he has cover he set

05/19/2021 2:04 PM



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

2200 RPM PRIMARY MODE SHIFT SPEED

2200 RPM SECONDARY MODE SHIFT SPEED

ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED

DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES

MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 1100 RPM

MAXIMUM ENGINE SPEED FOR PTO OPERATION 3000 RPM

MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 900 RPM

MAXIMUM OUTPUT SPEED FOR PTO OPERATION 3000 RPM - ALLISON 5TH GEN TRANSMISSIONS

VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT END OF FRAME

ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED

CUSTOMER INSTALLED CHELSEA 280 SERIES PTO

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

×



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE

MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS FRONT BRAKE LINING

CONMET CASTLITE CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS

FRONT OIL SEALS

VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL

STANDARD SPINDLE NUTS FOR ALL AXLES

MERITOR AUTOMATIC FRONT SLACK ADJUSTERS

TRW TAS-85 POWER STEERING

POWER STEERING PUMP

2 QUART SEE THROUGH POWER STEERING RESERVOIR

OIL/AIR POWER STEERING COOLER

CURRENT AVAILABLE SYNTHETIC 75W-90

FRONT AXLE LUBE

Front Suspension

16,000# FLAT LEAF FRONT SUSPENSION

GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION

NO FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-23-161 23,000# R-SERIES SINGLE REAR AXLE

5.63 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING

MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES

DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE

(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE

BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH, DEACTIVATE >25 MPH

-L9-WA

05/19/2021 2:04 PM

Page 7 of 20



Prepared by: Mike Bailey FYDA FREIGHTLINER CINCINNATI 1 FREIGHTLINER DRIVE CINCINNATI, OH 45241 Phone: 513-772-7171

Description

MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, **FABRICATED SHOES**

NON-ASBESTOS REAR BRAKE LINING

BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)

CONMET CASTLITE CAST IRON REAR BRAKE **DRUMS**

REAR BRAKE DUST SHIELDS

REAR OIL SEALS

WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS

MERITOR AUTOMATIC REAR SLACK

ADJUSTERS

CURRENT AVAILABLE SYNTHETIC 75W-90 REAR

AXLE LUBE

Rear Suspension

30,000# FLAT LEAF SPRING REAR SUSPENSION

WITH HELPER AND RADIUS ROD

SPRING SUSPENSION - NO AXLE SPACERS

STANDARD AXLE SEATS IN AXLE CLAMP

GROUP

FORE/AFT CONTROL RODS

Brake System

AIR BRAKE PACKAGE

WABCO 4S/4M ABS

REINFORCED NYLON, FABRIC BRAID AND WIRE

BRAID CHASSIS AIR LINES

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

STANDARD AIR SYSTEM PRESSURE

PROTECTION SYSTEM

STD U.S. FRONT BRAKE VALVE

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,

NO REAR PROPORTIONING VALVE

WABCO SYSTEM SAVER HP WITH INTEGRAL

AIR GOVERNOR AND HEATER

AIR DRYER MOUNTED INBOARD ON LH RAIL

ALUMINUM AIR BRAKE RESERVOIRS

CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH

RAILS OUTBOARD

×

05/19/2021 2:04 PM

Application Version 11.6.205

Data Version PRL-24M.015



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

BW DV-2 AUTO DRAIN VALVE WITH HEATER - WET TANK

Trailer Connections

AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND DUST COVERS

PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE

SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME UPGRADED CHASSIS MULTIPLEXING UNIT UPGRADED BULKHEAD MULTIPLEXING UNIT

Wheelbase & Frame

3825MM (151 INCH) WHEELBASE

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW

1725MM (68 INCH) REAR FRAME OVERHANG

FRAME OVERHANG RANGE: 61 INCH TO 70 INCH

CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 85.04 in

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 82.04 in

CALC'D FRAME LENGTH - OVERALL: 247.88

CALCULATED FRAME SPACE LH SIDE: 50.32 in

CALCULATED FRAME SPACE RH SIDE: 70.94 in

CALC'D SPACE AVAILABLE FOR DECKPLATE:

79.45 in

SQUARE END OF FRAME

FRONT CLOSING CROSSMEMBER

LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER

STANDARD CROSSMEMBER BACK OF TRANSMISSION


STANDARD MIDSHIP #1 CROSSMEMBER(S)

STANDARD REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER

~	
1~1	

Jones



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

Chassis Equipment

THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS

FENDER AND FRONT OF HOOD MOUNTED

FRONT MUDFLAPS

GRADE 8 THREADED HEX HEADED FRAME

FASTENERS

Fuel Tanks

50 GALLON/189 LITER SHORT RECTANGULAR

ALUMINUM FUEL TANK - LH

RECTANGULAR FUEL TANK(S)

POLISHING OF FUEL/HYDRAULIC TANK(S) WITH

PAINTED BANDS

FUEL TANK(S) FORWARD

POLISHED STAINLESS STEEL STEP FINISH

FUEL TANK CAP(S)

DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND

12 VOLT PREHEATER"

EQUIFLO INBOARD FUEL SYSTEM

HIGH TEMPERATURE REINFORCED NYLON

FUEL LINE

Tires

MICHELIN X WORKS Z 315/80R22.5 20 PLY

RADIAL FRONT TIRES

MICHELIN X MULTI D 11R22.5 14 PLY RADIAL

REAR TIRES

Hubs

CONMET PRESET PLUS PREMIUM IRON FRONT

HUBS

CONMET PRESET PLUS PREMIUM IRON REAR

HUBS

Wheels

ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB PILOT 5.99 INSET ALUMINUM FRONT WHEELS

ALCOA ULTRA ONE ULT39X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS

POLISHED FRONT WHEELS; OUTSIDE ONLY

POLISHED REAR WHEELS; OUTSIDE OF OUTER

WHEELS ONLY

FRONT WHEEL MOUNTING NUTS

Application Version 11.6.205 Data Version PRL-24M.015 2022MY Stock Muni Dump-M2-L9-WA Jones

×	A place represent to the real for thing that the stand secret 2 decree that to the stages 2 disjoint to proper
Sec. sed	

05/19/2021 2:04 PM



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

REAR WHEEL MOUNTING NUTS

Cab Exterior

106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

AIR CAB MOUNTING

NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE

2-1/2 INCH FENDER EXTENSIONS

SAFETY YELLOW LH AND RH INTERIOR GRAB HANDLES AND LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT

BLACK STATIONARY GRILL

MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE

FIBERGLASS HOOD

HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION

SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK

DUAL ELECTRIC HORNS

SINGLE HORN SHIELD

ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER FT1013

KEY QUANTITY OF 5

REAR LICENSE PLATE MOUNT END OF FRAME

LED HEADLIGHT ASSEMBLY AND INCANDESCENT MARKER/TURN LAMP

LED AERODYNAMIC MARKER LIGHTS

HEADLIGHTS ON WITH WIPERS, WITH LOW BEAM DAYTIME RUNNING LIGHTS

FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

(2) FLUSH UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER

DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH





Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS

RH DOWN VIEW MIRROR

STANDARD SIDE/REAR REFLECTORS

RH AFTERTREATMENT SYSTEM CAB ACCESS WITH POLISHED DIAMOND PLATE COVER

63X14 INCH TINTED REAR WINDOW

TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS

RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)

1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD

2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED

Cab Interior

OPAL GRAY VINYL INTERIOR

MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR

MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR

BLACK MATS WITH SINGLE INSULATION

DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER

FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING

(2) CUP HOLDERS LH AND RH DASH

GRAY/CHARCOAL WING DASH

SMART SWITCH EXPANSION MODULE

2-1/2 LB. FIRE EXTINGUISHER

HEATER, DEFROSTER AND AIR CONDITIONER

STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD PLUMBING WITH BALL SHUTOFF VALVES AND INSULATED LINES

×	Aplantage and to the desired field to be be before used using P and the first best own a few south and to



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR

BINARY CONTROL, R-134A

PREMIUM INSULATION

SOLID-STATE CIRCUIT PROTECTION AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM

DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF

LH AND RH ELECTRIC DOOR LOCKS

(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH

TRIANGULAR REFLECTORS WITHOUT FLARES

PREMIUM (L2) ISRI HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE

BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION

DUAL DRIVER AND PASSENGER SEAT ARMRESTS

LH AND RH INTEGRAL DOOR PANEL ARMRESTS BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER

BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER

HIGH VISIBILITY ORANGE SEAT BELTS

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

GRAY DRIVER INSTRUMENT PANEL


GRAY CENTER INSTRUMENT PANEL

BLACK GAUGE BEZELS

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

*



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS

ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE

CHASSIS MODULE JUMPER AND BRACKET FOR BODY BUILDER TO RELOCATE THE CHASSIS MODULE INTO THE CAB

ELECTRICAL ENGINE COOLANT TEMPERATURE GALIGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS

ELECTRIC ENGINE OIL PRESSURE GAUGE

OVERHEAD INSTRUMENT PANEL

AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939

DASH MOUNTED RADIO


(2) RADIO SPEAKERS IN CAB

POWER AND GROUND WIRING PROVISION OVERHEAD

ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER





Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

STANDARD VEHICLE SPEED SENSOR WITH ADDITIONAL SIGNAL FOR CUSTOMER USE LOCATED BETWEEN DRIVER AND PASSENGER SEATS

ELECTRONIC 3000 RPM TACHOMETER

(2) TMC RP 1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND DASH B PANEL AND (1) LOCATED PASSENGER SIDE OF DASH

IDLE LIMITER, ELECTRONIC ENGINE

TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT

PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH

BW TRACTOR PROTECTION VALVE

TRAILER HAND CONTROL BRAKE VALVE

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH AND SINGLE CONNECTOR AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LIGHTS, LOW BEAMS OFF WITH HIGH BEAMS

TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE

INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

STANDARD E COAT/UNDERCOATING


Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Application Version 11.6.205 Data Version PRL-24M.015 2022MY Stock Muni Dump-M2-L9-WA Jones

×	A third copyright paper of the highester word would a final set his half problem work of the

05/19/2021 2:04 PM



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

Secondary Factory Options

CORPORATE PDI CENTER OPTION INSTALLATION/MODIFICATION ONLY DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR

MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE


Raw Performance Data


CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 82.04 in CALC'D SPACE AVAILABLE FOR DECKPLATE: 79.45 in

Extended Warranty

TC4: MD MODERATE 5 YEARS/100,000 MILES / 161,000 KM EXTENDED TRUCK COVERAGE. FEX APPLIES

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.





Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

WA Jones Equipment

Plow Hitch

Monroe Model MC2075 Drop Pin Quick Hitch

4" Double Acting Lift Cylinder
Telescopic Lift Beam
Lift Beam Folds Flat when Not in Use
Full Sideplate Hitch Reinforcement

Central Hydraulic System

Certified Power Load Sense System

Chelsea Wet Spline PTO-Constant Mesh
Danfoss Load Sense Piston Pump
Freedom 2.2 Electronic Spreader Controller
Dual Electric Joysticks for Plow and Body Operation
Pre Wet Valve Section In Valve Body
MDC Console with Adjustable Arm Rest and 6 backlit Accessory Switches
Stainless Steel Valve Mount Tank
Stainless Steel Hydraulic lines run to front and rear
Stainless Steel Quick Couplers
System Fully Tested and Pre Calibrated
Final Calibration Upon Delivery


Dump Body

Crysteel Select 10' Stainless Steel Dump Body

5 Year Warranty on Dump body and hoist
201 Stainless Steel Construction
Crossmemberless Understructure with I Beam Longsills
1/4" AR400 Floor
7 Gauge 304 Stainless steel Sides and Ends

Application Version 11.6.205 Data Version PRL-24M.015 2022MY Stock Muni Dump-M2-L9-WA Jones





Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Dirt Shedding Upper and Lower Rails
30" Side Height
38" Tailgate
Single Horizontal Side Bracing
Dual Horizontal Tailgate Bracing
Coal Chute in Tailgate
Double Acting Air Release Tailgate
24"x85" Stainless Cabshield Fully Welded with Light Housings
Stainless Steel Pull out Side Ladder
(2) Grab Handles Shipped Loose and Placed as needed

Hoist


Mailhot Model CS90 Class 50 Telescopic Hoist Full Double Acting Hoist 12" Doghouse in front of body Mounted and Installed

Electrical

Truck Lite Heated LED Plow lights Mounted on Hood with Stainless Brackets

- (6) Amber LED Strobes Mounted in Cabshield (Boxed) (2) Forward Facing, (2) Side Facing, and
- (2) Rear Facing
- (2) Amber LED Mini Strobes Mounted on Plow Light Brackets
- (2) Amber LED Strobes Mounted in Rear Corner Posts
- (2) LED Stop/Tail/Turn Lights Mounted in Rear Corner Posts
- (2) LED Back Up Lights Mounted in Rear Corner Posts
- 4" LED Spinner Light Mounted Drivers Side Under Rear Corner Post

Power Distribution Panel Installed inside back of cab



Jones



Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Spreader

Monroe Model MS966-201SS Tailgate Spreader


1/4" End Plates
201 Stainless Steel Construction
6" Auger-Direct Drive
Left Hand Discharge
Full Trough Clean Out Pan
Self Leveling 18" Poly Spinner Disc
Inside Tailgate Fins Bolted On
All Stainless Steel Hardware

Pintle Plate

3/4" Pintle Plate Fully Welded
20 Ton Pintle Hook with 8 hole adjustment
7 Way RV Trailer Plug
(2) 1" D-Rings
Chassis OEM Taillights Installed Outside of Pintle Plate

<u>Miscellaneous</u>

Hardwood Sideboards Painted Color of Your Choice
Poly Fenders with Stainless Brackets
Red and White Reflective Tape on Lower Rub rails and Tailgate
Chassis Frame Rails and Underside of Dump Body Undercoated
Mudflaps and Brackets





Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Application Version 11.6.205 Data Version PRL-24M.015 2022MY Stock Muni Dump-M2-L9-WA Jones

